

**Conformity Declaration 01/01/2014**

1. **Product manufacturer:** STRAMA  
Osiedle Nowe 8, PL-34-424 Szaflary
2. **Product name:** Clinker Panels
3. **Export data – customs code:** TARIC 39181090
4. **Purpose and Scope construction product:** realization of external facades
5. **Technical Specifications:** Aprobata Techniczna ITB AT-15-7917/2009
6. **Declared technical characteristics of the type of construction product:**

Exterior	smooth surfaces of uniform color, no scratches, cracks, inclusions and voids
Deviations of dimensions	normal
Deviation from straightness edge [mm/m]	0,37
The shape of the elements	compliance with technical drawing
By Vicat softening temperature (B50) silicone oil in ° C	80
Plaster adhesion to plastic PVC MPa:	2,08
Resistance to hard body impacts the energy 3J, 6J, 12J at +20 ° C	no damage
Resistance to hard body impacts the power 3J, 6J at -20 ° C	no damage
Resistance to frost	no changes
Resistance to accelerated aging	may be uniform color change, not more than 3 degree gray scale
Fire classification in terms of the spread by fire walls	does not spread fire, fire class A2-s3, d0 according to EN 13501-1

7. **Name and number of accredited certification body or testing laboratory and certificate number or the number of initial type testing, if such a unit took part in the applied system of assessment of conformity of the construction product:**

The product complies with the technical approval on the basis of no NL-0858/A/08 Institute of Building Technology, ul. Filtrowa 1, Warsaw.

Łomianki, 01.01.2014  
(place and date of issue)